

## FAS MRL Database

### Terms of Use

Although this International MRL Database is updated frequently, the information in it may not be completely up-to-date or error free. Additionally, commodity nomenclature and residue definitions vary between countries, and country policies regarding deferral to international standards are not always transparent. This database is intended to be an initial reference source only, and users must verify any information obtained from it with knowledgeable parties in the market of

### Results Key Legend

MRL values in *Red Italics* are more restrictive than US

All numeric values listed are in parts per million (ppm), unless otherwise noted

apply for countries that have default MRLs (see Default MRLs section below). Additionally, inadvertent or extraneous MRLs are not included in the database; and the database does not indicate substances that are banned in a country or **Cod** (Codex), **EU** (European Union), **US** (United States) and **EXP** (exporting market) indicate the source of the MRL for **Section 18, Time-Limited, or Regional**: indicates that the US MRL is a temporary Section 18, Time-Limited Tolerance, or **UCG** indicates an Undefined Crop Group MRL which may be relevant to the commodity; however, as the country's legislation does not specify what commodities are members of this crop group, official sources should be consulted.

**Commodity Note** indicates the language used to describe the commodity in the country's legislation for the listed MRL.

### Default MRLs

regulations vary by country. Before assuming a default MRL applies, the country's specific regulations governing the default MRLs should be consulted. Country MRL regulations are summarized in market information pages located at the "Market Information" link on the toolbar at the top of this page.

European Union: 0.01 ppm | Canada: 0.1 ppm | Japan: 0.01 ppm | Malaysia: 0.01 ppm | New Zealand: 0.1 ppm | South Afri

		US 1	Can	Jpn	Mex 2
Raspberry	2,4-D	0.2	---	<i>{0.1}</i>	0.2 US
		PPM for its "Berry, Group 13" group.			
		PPM for its "Berry, Group 13" group.			
		US 3	Can 4	Jpn	Mex 5
Raspberry	Acetamiprid	1.6	4	1.6	1.6 US
		3. United States does not maintain a specific MRL for the Acetamiprid/Raspberry combination, but does maintain an MRL of 1.6 PPM for its "Caneberry subgroup 13-07A" group.			
		4. Canada does not maintain a specific MRL for the Acetamiprid/Raspberry combination, but does maintain an MRL of 4 PPM for its "Caneberry Subgroup 13-07A" group.			
		5. United States does not maintain a specific MRL for the Acetamiprid/Raspberry combination, but does maintain an MRL of 1.6 PPM for its "Caneberry subgroup 13-07A" group.			
		US 6	Can	Jpn	Mex 7
Raspberry	Azoxystrobin	5	5	5	5 US
		6. United States does not maintain a specific MRL for the Azoxystrobin/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.			
		7. United States does not maintain a specific MRL for the Azoxystrobin/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.			

		<b>US 8</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 9</b>
<b>Raspberry</b>	<b>Bifenazate</b>	5	5	---	5 US
		<p>8. United States does not maintain a specific MRL for the Bifenazate/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>9. United States does not maintain a specific MRL for the Bifenazate/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 10</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 11</b>
<b>Raspberry</b>	<b>Bifenthrin</b>	1	---	1	1 US
		<p>10. United States does not maintain a specific MRL for the Bifenthrin/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>11. United States does not maintain a specific MRL for the Bifenthrin/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 12</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 13</b>
<b>Raspberry</b>	<b>Boscalid</b>	6	6	{3.5}	6 US
		<p>12. United States does not maintain a specific MRL for the Boscalid/Raspberry combination, but does maintain an MRL of 6 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>13. United States does not maintain a specific MRL for the Boscalid/Raspberry combination, but does maintain an MRL of 6 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 14</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 15</b>
<b>Raspberry</b>	<b>Captan</b>	25	{5}	{20}	25 US
		<p>14. United States does not maintain a specific MRL for the Captan/Raspberry combination, but does maintain an MRL of 25 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>15. United States does not maintain a specific MRL for the Captan/Raspberry combination, but does maintain an MRL of 25 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 16</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 17</b>
<b>Raspberry</b>	<b>Carbaryl</b>	12	{10}	{10}	12 US
		<p>16. United States does not maintain a specific MRL for the Carbaryl/Raspberry combination, but does maintain an MRL of 12 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>17. United States does not maintain a specific MRL for the Carbaryl/Raspberry combination, but does maintain an MRL of 12 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 18</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 19</b>
<b>Raspberry</b>	<b>Carfentrazone-ethyl</b>	0.1	0.1	0.1	0.1 US
		<p>18. United States does not maintain a specific MRL for the Carfentrazone-ethyl/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>19. United States does not maintain a specific MRL for the Carfentrazone-ethyl/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry, Subgroup 13A" group.</p>			

		<b>US 20</b>	<b>Can 21</b>	<b>Jpn</b>	<b>Mex 22</b>
<b>Raspberry</b>	<b>Chlorantraniliprole</b>	1.8	{0.9}	---	1.8 US
		<p>20. United States does not maintain a specific MRL for the Chlorantraniliprole/Raspberry combination, but does maintain an MRL of 1.8 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>21. Commodity Note: This MRL applies to raspberries and wild raspberries.</p> <p>22. United States does not maintain a specific MRL for the Chlorantraniliprole/Raspberry combination, but does maintain an MRL of 1.8 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 23</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 24</b>
<b>Raspberry</b>	<b>Clethodim</b>	0.3	---	---	0.3 US
		<p>23. United States does not maintain a specific MRL for the Clethodim/Raspberry combination, but does maintain an MRL of 0.3 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>24. United States does not maintain a specific MRL for the Clethodim/Raspberry combination, but does maintain an MRL of 0.3 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Cryolite</b>	7	---	---	7 US
		<b>US 25</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 26</b>
<b>Raspberry</b>	<b>Cymoxanil</b>	4	4	{0.2}	4 US
		<p>25. United States does not maintain a specific MRL for the Cymoxanil/Raspberry combination, but does maintain an MRL of 4 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>26. United States does not maintain a specific MRL for the Cymoxanil/Raspberry combination, but does maintain an MRL of 4 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 27</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 28</b>
<b>Raspberry</b>	<b>Cyprodinil</b>	10	{6.2}	{2}	10 US
		<p>27. United States does not maintain a specific MRL for the Cyprodinil/Raspberry combination, but does maintain an MRL of 10 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>28. United States does not maintain a specific MRL for the Cyprodinil/Raspberry combination, but does maintain an MRL of 10 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 29</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 30</b>
<b>Raspberry</b>	<b>d-Phenothrin</b>	0.01	---	0.02	0.01 US
		<p>29. United States does not maintain a specific MRL for the d-Phenothrin/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>30. United States does not maintain a specific MRL for the d-Phenothrin/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Caneberry subgroup 13-07A" group.</p>			

		<b>US 31</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 32</b>
<b>Raspberry</b>	<b>Diazinon</b>	0.75	---	{0.2}	0.75 US
		<p>31. United States does not maintain a specific MRL for the Diazinon/Raspberry combination, but does maintain an MRL of 0.75 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>32. United States does not maintain a specific MRL for the Diazinon/Raspberry combination, but does maintain an MRL of 0.75 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 33</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 34</b>
<b>Raspberry</b>	<b>Dichlobenil</b>	0.1	0.1	0.2	0.1 US
		<p>33. United States does not maintain a specific MRL for the Dichlobenil/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>34. United States does not maintain a specific MRL for the Dichlobenil/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 35</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 36</b>
<b>Raspberry</b>	<b>Dicofol</b>	5	{3}	{3}	5 US
		<p>35. United States does not maintain a specific MRL for the Dicofol/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>36. United States does not maintain a specific MRL for the Dicofol/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 37</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 38</b>
<b>Raspberry</b>	<b>Diuron</b>	0.1	---	{0.05}	0.1 US
		<p>0.1 PPM for its "Berry, Group 13" group.</p> <p>0.1 PPM for its "Berry, Group 13" group.</p>			
		<b>US 39</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 40</b>
<b>Raspberry</b>	<b>Esfenvalerate</b>	1	---	1	1 US
		<p>39. United States does not maintain a specific MRL for the Esfenvalerate/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>40. United States does not maintain a specific MRL for the Esfenvalerate/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 41</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 42</b>
<b>Raspberry</b>	<b>Etoxazole</b>	1.5	---	---	1.5 US
		<p>41. United States does not maintain a specific MRL for the Etoxazole/Raspberry combination, but does maintain an MRL of 1.5 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>42. United States does not maintain a specific MRL for the Etoxazole/Raspberry combination, but does maintain an MRL of 1.5 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 43</b>	<b>Can 44</b>	<b>Jpn</b>	<b>Mex 45</b>
					10

Raspberry	Famoxadone	10	10	{2}	US
		<p>43. United States does not maintain a specific MRL for the Famoxadone/Raspberry combination, but does maintain an MRL of 10 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>44. Commodity Note: Raspberries and wild raspberries.</p> <p>45. United States does not maintain a specific MRL for the Famoxadone/Raspberry combination, but does maintain an MRL of 10 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Raspberry	Fenbutatin-oxide	10 Regional	---	10	10 Regional US
		<b>US 46</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 47</b>
Raspberry	Fenhexamid	20	20	{15}	20 US
		<p>46. United States does not maintain a specific MRL for the Fenhexamid/Raspberry combination, but does maintain an MRL of 20 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>47. United States does not maintain a specific MRL for the Fenhexamid/Raspberry combination, but does maintain an MRL of 20 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 48</b>	<b>Can 49</b>	<b>Jpn</b>	<b>Mex 50</b>
Raspberry	Fenpropathrin	12	12	{5}	12 US
		<p>48. United States does not maintain a specific MRL for the Fenpropathrin/Raspberry combination, but does maintain an MRL of 12 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>49. Canada does not maintain a specific MRL for the Fenpropathrin/Raspberry combination, but does maintain an MRL of 12 PPM for its "Caneberry Subgroup 13-07A" group.</p> <p>50. United States does not maintain a specific MRL for the Fenpropathrin/Raspberry combination, but does maintain an MRL of 12 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 51</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 52</b>
Raspberry	Fludioxonil	5	{4.2}	5	5 US
		<p>51. United States does not maintain a specific MRL for the Fludioxonil/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>52. United States does not maintain a specific MRL for the Fludioxonil/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 53</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 54</b>
Raspberry	Fosetyl-AI	0.1	{0.05}	70	0.1 US
		<p>53. United States does not maintain a specific MRL for the Fosetyl-AI/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>54. United States does not maintain a specific MRL for the Fosetyl-AI/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry, Subgroup 13A" group.</p>			

		<b>US 55</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 56</b>
<b>Raspberry</b>	<b>Glyphosate</b>	0.2	---	0.2	0.2 US
		<p>55. United States does not maintain a specific MRL for the Glyphosate/Raspberry combination, but does maintain an MRL of 0.2 PPM for its "Berry, Group 13" group.</p> <p>56. United States does not maintain a specific MRL for the Glyphosate/Raspberry combination, but does maintain an MRL of 0.2 PPM for its "Berry, Group 13" group.</p>			
		<b>US 57</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 58</b>
<b>Raspberry</b>	<b>Hexythiazox</b>	1	---	1	1 US
		<p>57. United States does not maintain a specific MRL for the Hexythiazox/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>58. United States does not maintain a specific MRL for the Hexythiazox/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 59</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 60</b>
<b>Raspberry</b>	<b>Imidacloprid</b>	2.5	2.5	4	2.5 US
		<p>59. Commodity Note: Raspberry, wild</p> <p>60. Commodity Note: Raspberry, wild</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Iprodione</b>	15	{10}	{5}	15 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Malathion</b>	8	8	8	8 US
		<b>US 61</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 62</b>
<b>Raspberry</b>	<b>Mesotrione</b>	0.01	---	0.01	0.01 US
		<p>61. United States does not maintain a specific MRL for the Mesotrione/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Berry, Group 13" group.</p> <p>62. United States does not maintain a specific MRL for the Mesotrione/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Berry, Group 13" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Metalaxyl</b>	0.5	{0.2}	{0.2}	0.5 US

		<b>US 63</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 64</b>
<b>Raspberry</b>	<b>Metalaxyl-M (Mefenoxam)</b>	0.7	{0.2}	{0.2}	0.7 US
		63. United States does not maintain a specific MRL for the Metalaxyl-M (Mefenoxam)/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry subgroup 13-07A" group.			
		64. United States does not maintain a specific MRL for the Metalaxyl-M (Mefenoxam)/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry subgroup 13-07A" group.			
		<b>US 65</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 66</b>
<b>Raspberry</b>	<b>Metaldehyde</b>	0.15	---	---	0.15 US
		65. United States does not maintain a specific MRL for the Metaldehyde/Raspberry combination, but does maintain an MRL of 0.15 PPM for its "Berry, Group 13" group.			
		66. United States does not maintain a specific MRL for the Metaldehyde/Raspberry combination, but does maintain an MRL of 0.15 PPM for its "Berry, Group 13" group.			
		<b>US 67</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 68</b>
<b>Raspberry</b>	<b>Myclobutanil</b>	2	{1.2}	{1}	2 US
		67. United States does not maintain a specific MRL for the Myclobutanil/Raspberry combination, but does maintain an MRL of 2 PPM for its "Caneberry, Subgroup 13A" group.			
		68. United States does not maintain a specific MRL for the Myclobutanil/Raspberry combination, but does maintain an MRL of 2 PPM for its "Caneberry, Subgroup 13A" group.			
		<b>US 69</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 70</b>
<b>Raspberry</b>	<b>Napropamide</b>	0.1	0.1	0.1	0.1 US
		69. United States does not maintain a specific MRL for the Napropamide/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Berry, Group 13" group.			
		70. United States does not maintain a specific MRL for the Napropamide/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Berry, Group 13" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Norflurazon</b>	0.2	---	0.2	0.2 US
		<b>US 71</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 72</b>
<b>Raspberry</b>	<b>Oryzalin</b>	0.05	---	0.08	0.05 US
		of 0.05 PPM for its "Berry, Group 13" group.			
		of 0.05 PPM for its "Berry, Group 13" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Oxyfluorfen</b>	0.05 Regional	0.05	---	0.05 Regional US

		<b>US 73</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 74</b>
<b>Raspberry</b>	<b>Paraquat dichloride</b>	0.05	0.05	0.05	0.05 US
		<p>73. United States does not maintain a specific MRL for the Paraquat dichloride/Raspberry combination, but does maintain an MRL of 0.05 PPM for its "Berry, Group 13" group.</p> <p>74. United States does not maintain a specific MRL for the Paraquat dichloride/Raspberry combination, but does maintain an MRL of 0.05 PPM for its "Berry, Group 13" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Piperonyl Butoxide</b>	8	8	8	8 US
		<b>US 75</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 76</b>
<b>Raspberry</b>	<b>Propiconazole</b>	1	{0.7}	{0.05}	1 US
		<p>75. United States does not maintain a specific MRL for the Propiconazole/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>76. United States does not maintain a specific MRL for the Propiconazole/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Propyzamide</b>	0.05	---	{0.04}	0.05 US
		<b>US 77</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 78</b>
<b>Raspberry</b>	<b>Pyraclostrobin</b>	4	{3.5}	{2}	4 US
		<p>77. United States does not maintain a specific MRL for the Pyraclostrobin/Raspberry combination, but does maintain an MRL of 4 PPM for its "Berry, Group 13" group.</p> <p>78. United States does not maintain a specific MRL for the Pyraclostrobin/Raspberry combination, but does maintain an MRL of 4 PPM for its "Berry, Group 13" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Pyrethrins</b>	1	1	1	1 US
		<b>US 79</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 80</b>
<b>Raspberry</b>	<b>Pyriproxyfen</b>	1	---	---	1 US
		<p>79. United States does not maintain a specific MRL for the Pyriproxyfen/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>80. United States does not maintain a specific MRL for the Pyriproxyfen/Raspberry combination, but does maintain an MRL of 1 PPM for its "Caneberry, Subgroup 13A" group.</p>			



		<b>US 81</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 82</b>
<b>Raspberry</b>	<b>Rimsulfuron</b>	0.01	---	---	0.01 <b>US</b>
		<p>81. United States does not maintain a specific MRL for the Rimsulfuron/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>82. United States does not maintain a specific MRL for the Rimsulfuron/Raspberry combination, but does maintain an MRL of 0.01 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 83</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 84</b>
<b>Raspberry</b>	<b>S-metolachlor</b>	0.1	---	---	0.1 <b>US</b>
		<p>83. United States does not maintain a specific MRL for the S-metolachlor/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry subgroup 13-07A" group.</p> <p>84. United States does not maintain a specific MRL for the S-metolachlor/Raspberry combination, but does maintain an MRL of 0.1 PPM for its "Caneberry subgroup 13-07A" group.</p>			
		<b>US 85</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 86</b>
<b>Raspberry</b>	<b>Sethoxydim</b>	5	5	5	5 <b>US</b>
		<p>85. United States does not maintain a specific MRL for the Sethoxydim/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>86. United States does not maintain a specific MRL for the Sethoxydim/Raspberry combination, but does maintain an MRL of 5 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Raspberry</b>	<b>Simazine</b>	0.2	---	0.2	0.2 <b>US</b>
		<b>US 87</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 88</b>
<b>Raspberry</b>	<b>Spinetoram</b>	0.7	{0.5}	---	0.7 <b>US</b>
		<p>87. United States does not maintain a specific MRL for the Spinetoram/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>88. United States does not maintain a specific MRL for the Spinetoram/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 89</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 90</b>
<b>Raspberry</b>	<b>Spinosad</b>	0.7	{0.5}	1	0.7 <b>US</b>
		<p>89. United States does not maintain a specific MRL for the Spinosad/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>90. United States does not maintain a specific MRL for the Spinosad/Raspberry combination, but does maintain an MRL of 0.7 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 91</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 92</b>
<b>Raspberry</b>	<b>Tebufenozide</b>	3	---	{2}	3 <b>US</b>

		<p>91. United States does not maintain a specific MRL for the Tebufenozide/Raspberry combination, but does maintain an MRL of 3 PPM for its "Berry, Group 13" group.</p> <p>92. United States does not maintain a specific MRL for the Tebufenozide/Raspberry combination, but does maintain an MRL of 3 PPM for its "Berry, Group 13" group.</p>			
		<b>US 93</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 94</b>
<b>Raspberry</b>	<b>Terbacil</b>	0.2	---	{0.1}	0.2 US
		<p>93. United States does not maintain a specific MRL for the Terbacil/Raspberry combination, but does maintain an MRL of 0.2 PPM for its "Caneberry, Subgroup 13A" group.</p> <p>94. United States does not maintain a specific MRL for the Terbacil/Raspberry combination, but does maintain an MRL of 0.2 PPM for its "Caneberry, Subgroup 13A" group.</p>			
		<b>US 95</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 96</b>
<b>Raspberry</b>	<b>Zeta-Cypermethrin</b>	0.8	---	{0.5}	0.8 US
		<p>95. United States does not maintain a specific MRL for the Zeta-Cypermethrin/Raspberry combination, but does maintain an MRL of 0.8 PPM for its "Berry, Group 13" group.</p> <p>96. United States does not maintain a specific MRL for the Zeta-Cypermethrin/Raspberry combination, but does maintain an MRL of 0.8 PPM for its "Berry, Group 13" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>2,4-D</b>	0.05	0.05	0.05	0.05 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Abamectin</b>	0.02	0.02	0.02	0.02 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Acequinocyl</b>	0.4	0.5	2	0.4 US
		<b>US 97</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 98</b>
<b>Strawberry</b>	<b>Acetamiprid</b>	0.6	0.6	3	0.6 US
		<p>97. United States does not maintain a specific MRL for the Acetamiprid/Strawberry combination, but does maintain an MRL of 0.6 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>98. United States does not maintain a specific MRL for the Acetamiprid/Strawberry combination, but does maintain an MRL of 0.6 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Acifluorfen</b>	0.05	---	0.05	0.05 US

		US	Can	Jpn	Mex
Strawberry	Azoxystrobin	10	---	10	10 US
		US	Can	Jpn	Mex
Strawberry	Bifenazate	1.5	1.5	5	1.5 US
		US	Can	Jpn	Mex
Strawberry	Bifenthrin	3	---	{2}	3 US
		US	Can	Jpn	Mex
Strawberry	Boscalid	4.5	4.5	15	4.5 US
		US 99	Can	Jpn	Mex 100
Strawberry	Buprofezin	2.5	---	---	2.5 US
		<p>99. United States does not maintain a specific MRL for the Buprofezin/Strawberry combination, but does maintain an MRL of 2.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>100. United States does not maintain a specific MRL for the Buprofezin/Strawberry combination, but does maintain an MRL of 2.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		US	Can	Jpn	Mex
Strawberry	Captan	20	{5}	20	20 US
		US	Can	Jpn	Mex
Strawberry	Carbaryl	4	7	7	4 US
		US	Can	Jpn	Mex
Strawberry	Carfentrazone-ethyl	0.1	0.1	0.1	0.1 US
		US 101	Can	Jpn	Mex 102
Strawberry	Chlorantraniliprole	1	---	{0.7}	1 US
		<p>101. United States does not maintain a specific MRL for the Chlorantraniliprole/Strawberry combination, but does maintain an MRL of 1 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			

102. United States does not maintain a specific MRL for the Chlorantraniliprole/Strawberry combination, but does maintain an MRL of 1 PPM for its "Berry, low growing, subgroup 13-07G" group.

		US	Can	Jpn	Mex
Strawberry	Chlorpyrifos	0.2	---	0.2	0.2 US
		US	Can	Jpn	Mex
Strawberry	Clethodim	3	---	{2}	3 US
		US	Can	Jpn	Mex
Strawberry	Clopyralid	4	{1}	{1}	4 US
		US	Can	Jpn	Mex
Strawberry	Cryolite	7	---	---	7 US
		US	Can	Jpn	Mex
Strawberry	Cyprodinil	5	{3.5}	{1}	5 US
		US 103	Can	Jpn	Mex 104
Strawberry	d-Phenothrin	0.01	---	0.02	0.01 US
		<p>103. United States does not maintain a specific MRL for the d-Phenothrin/Strawberry combination, but does maintain an MRL of 0.01 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>104. United States does not maintain a specific MRL for the d-Phenothrin/Strawberry combination, but does maintain an MRL of 0.01 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		US	Can	Jpn	Mex
Strawberry	DCPA	2	2	2	2 US
		US	Can	Jpn	Mex
Strawberry	Diazinon	0.5	0.75	{0.1}	0.5 US
		US	Can	Jpn	Mex
Strawberry	Dicofol	10	{3}	{3}	10 US

		US	Can	Jpn	Mex
Strawberry	Difenoconazole	2.5	---	5	2.5 US
		US	Can	Jpn	Mex
Strawberry	Dodine	5	5	{3}	5 US
		US	Can	Jpn	Mex
Strawberry	Endosulfan	2 Time-limited	{1}	{0.5}	2 Time-limited US
		US 105	Can	Jpn	Mex 106
Strawberry	Etoazole	0.5	0.5	0.5	0.5 US
		<p>105. United States does not maintain a specific MRL for the Etoazole/Strawberry combination, but does maintain an MRL of 0.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>106. United States does not maintain a specific MRL for the Etoazole/Strawberry combination, but does maintain an MRL of 0.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		US	Can	Jpn	Mex
Strawberry	Fenbutatin-oxide	10	---	10	10 US
		US	Can	Jpn	Mex
Strawberry	Fenhexamid	3	3	10	3 US
		US	Can 107	Jpn	Mex
Strawberry	Fenpropathrin	2	2	5	2 US
		<p>107. Canada does not maintain a specific MRL for the Fenpropathrin/Strawberry combination, but does maintain an MRL of 2 PPM for its "Low Growing Berry Subgroup 13-07G" group.</p>			
		US 108	Can	Jpn	Mex 109
Strawberry	Fenpyroximate	1	---	{0.5}	1 US
		<p>108. United States does not maintain a specific MRL for the Fenpyroximate/Strawberry combination, but does maintain an MRL of 1 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>109. United States does not maintain a specific MRL for the Fenpyroximate/Strawberry combination, but does maintain an MRL of 1 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			

		<b>US 110</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 111</b>
<b>Strawberry</b>	<b>Flubendiamide</b>	1.5	---	2	1.5 US
		<p>110. United States does not maintain a specific MRL for the Flubendiamide/Strawberry combination, but does maintain an MRL of 1.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>111. United States does not maintain a specific MRL for the Flubendiamide/Strawberry combination, but does maintain an MRL of 1.5 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Fludioxonil</b>	2	2	5	2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Flumioxazin</b>	0.07	0.07	0.1	0.07 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Fluopyram</b>	1.5	---	---	1.5 US
		<b>US 112</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 113</b>
<b>Strawberry</b>	<b>Fluoxastrobin</b>	1.9	---	---	1.9 US
		<p>112. United States does not maintain a specific MRL for the Fluoxastrobin/Strawberry combination, but does maintain an MRL of 1.9 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>113. United States does not maintain a specific MRL for the Fluoxastrobin/Strawberry combination, but does maintain an MRL of 1.9 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Fosetyl-Al</b>	75	75	75	75 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Glyphosate</b>	0.2	---	0.2	0.2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Hexythiazox</b>	3	---	{2}	3 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
					0.5

Strawberry	Imidacloprid	0.5	---	0.5	US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	bromide resulting from	60	---	{30}	60 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Iprodione	15	{5}	20	15 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Malathion	8	8	{0.5}	8 US