

## FAS MRL Database

### Terms of Use

Although this International MRL Database is updated frequently, the information in it may not be completely up-to-date or error free. Additionally, commodity nomenclature and residue definitions vary between countries, and country policies regarding deferral to international standards are not always transparent. This database is intended to be an initial reference source only, and users must verify any information obtained from it with knowledgeable parties in the market of interest

### Results Key Legend

MRL values in *Red Italics* are more restrictive than US

All numeric values listed are in parts per million (ppm), unless otherwise noted

apply for countries that have default MRLs (see Default MRLs section below). Additionally, inadvertent or extraneous MRLs are not included in the database; and the database does not indicate substances that are banned in a country or Cod (Codex), EU (European Union), US (United States) and EXP (exporting market) indicate the source of the MRL for cc Section 18, Time-Limited, or Regional: indicates that the US MRL is a temporary Section 18, Time-Limited Tolerance, or R

UCG indicates an Undefined Crop Group MRL which may be relevant to the commodity; however, as the country's legislation does not specify what commodities are members of this crop group, official sources should be consulted.

**Commodity Note** indicates the language used to describe the commodity in the country's legislation for the listed MRL.

### Default MRLs

regulations vary by country. Before assuming a default MRL applies, the country's specific regulations governing the default MRLs should be consulted. Country MRL regulations are summarized in market information pages located at the "Market

European Union: 0.01 ppm | Canada: 0.1 ppm | Japan: 0.01 ppm | Malaysia: 0.01 ppm | New Zealand: 0.1 ppm | South Africa

		US	Can	Jpn	Mex
Strawberry	Metalaxyl	10	{0.4}	{7}	10 US
		US	Can	Jpn	Mex
Strawberry	Metaldehyde	6.25	---	---	6.25 US
		US	Can	Jpn	Mex
Strawberry	Methoxyfenozide	1.5	---	2	1.5 US
		US	Can	Jpn	Mex
Strawberry	Myclobutanil	0.5	0.5	1	0.5 US
		US	Can	Jpn	Mex
Strawberry	Naled	1	1	{0.3}	1 US
		US	Can	Jpn	Mex
					0.1

Strawberry	Napropamide	0.1	0.1	0.1	US
		<b>US 1</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 2</b>
Strawberry	Novaluron	0.45	0.45	2	0.45 US
MRL of 0.45 PPM for its "Berry, low growing, subgroup 13-07G" group.					
MRL of 0.45 PPM for its "Berry, low growing, subgroup 13-07G" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Oryzalin	0.05	---	0.1	0.05 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Oxydemeton-methyl	2	---	{1}	2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Paraquat dichloride	0.25	---	{0.05}	0.25 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Pendimethalin	0.1	---	{0.05}	0.1 US
		<b>US 3</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 4</b>
Strawberry	Propiconazole	1.3	1.3	{0.05}	1.3 US
maintain an MRL of 1.3 PPM for its "Berry, low growing, subgroup 13-07G" group.					
maintain an MRL of 1.3 PPM for its "Berry, low growing, subgroup 13-07G" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Pyraclostrobin	1.2	1.2	{0.5}	1.2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Pyridaben	2.5	{2}	{2}	2.5 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Strawberry	Pyrimethanil	3	{2.5}	10	3 US

		US	Can	Jpn	Mex
Strawberry	Pyriproxyfen	0.3	---	0.3	0.3 US
		US	Can	Jpn	Mex
Strawberry	Quinoxifen	0.9	---	1	0.9 US
		US	Can	Jpn	Mex
Strawberry	Sethoxydim	10	10	10	10 US
		US	Can	Jpn	Mex
Strawberry	Simazine	0.25	---	{0.2}	0.25 US
		US	Can	Jpn	Mex
Strawberry	Spinetoram	1	{0.7}	2	1 US
		US	Can	Jpn	Mex
Strawberry	Spinosad	1	{0.7}	1	1 US
		US 5	Can	Jpn	Mex 6
Strawberry	Spiromesifen	2	2	2	2 US
		an MRL of 2 PPM for its "Berry, low growing, subgroup 13-07G" group.			
		an MRL of 2 PPM for its "Berry, low growing, subgroup 13-07G" group.			
		US	Can	Jpn	Mex
Strawberry	Sulfentrazone	0.6 Section 18	---	0.6	0.6 Section 18 US
		US	Can	Jpn	Mex
Strawberry	Terbacil	0.1	0.1	0.1	0.1 US

		<b>US 7</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 8</b>
<b>Strawberry</b>	<b>Tetraconazole</b>	0.25	---	2	0.25 <b>US</b>
		<p>an MRL of 0.25 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>an MRL of 0.25 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		<b>US 9</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 10</b>
<b>Strawberry</b>	<b>Thiamethoxam</b>	0.3	0.3	2	0.3 <b>US</b>
		<p>maintain an MRL of 0.3 PPM for its "Berry, low growing, subgroup 13-07G" group.</p> <p>maintain an MRL of 0.3 PPM for its "Berry, low growing, subgroup 13-07G" group.</p>			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Thiophanate-methyl</b>	7	{5}	{3}	7 <b>US</b>
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Thiram</b>	7	7	{5}	7 <b>US</b>
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Trifloxystrobin</b>	1.1	---	{0.2}	1.1 <b>US</b>
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Triflumizole</b>	2	2	2	2 <b>US</b>
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
<b>Strawberry</b>	<b>Ziram</b>	7	7	{5}	7 <b>US</b>
		<b>US 11</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 12</b>
<b>Tomato</b>	<b>Abamectin</b>	0.02	{0.01}	0.02	0.02 <b>US</b>
		<p>MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.</p> <p>MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.</p>			
		<b>US 13</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 14</b>
<b>Tomato</b>	<b>Acequinocyl</b>	0.7	---	---	0.7 <b>US</b>
		MRL of 0.7 PPM for its "Vegetable, Fruiting, Group 8" group.			

		MRL of 0.7 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 15</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 16</b>
Tomato	Acetamiprid	0.2	0.2	2	0.2 US
		MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 17</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 18</b>
Tomato	Acibenzolar-S-methyl	1	1	1	1 US
		maintain an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		maintain an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Azoxystrobin	0.2	0.2	3	0.2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Benoxacor	0.01	0.01	0.01	0.01 US
		<b>US 19</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 20</b>
Tomato	Bensulide	0.1	---	0.1	0.1 US
		MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Beta-cyfluthrin	0.2	---	2	0.2 US
		<b>US 21</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 22</b>
Tomato	Bifenazate	2	{0.35}	{1}	2 US
		MRL of 2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Bifenthrin	0.15	---	0.5	0.15 US

		<b>US 23</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 24</b>
<b>Tomato</b>	<b>Boscalid</b>	1.2	1.4	5	1.2 US
		MRL of 1.2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 1.2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 25</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 26</b>
<b>Tomato</b>	<b>Buprofezin</b>	1.3	---	{1}	1.3 US
		MRL of 1.3 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 1.3 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 27</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 28</b>
<b>Tomato</b>	<b>Captan</b>	0.05	5	5	0.05 US
		of 0.05 PPM for its "Vegetable, Fruiting, Group 8" group.			
		of 0.05 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 29</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 30</b>
<b>Tomato</b>	<b>Carbaryl</b>	5	5	5	5 US
		MRL of 5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 31</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 32</b>
<b>Tomato</b>	<b>Carfentrazone-ethyl</b>	0.1	0.1	0.1	0.1 US
		maintain an MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		maintain an MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 33</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 34</b>
<b>Tomato</b>	<b>Chlorantraniliprole</b>	1.4	{0.7}	{0.7}	1.4 US
		maintain an MRL of 1.4 PPM for its "Vegetable, fruiting, group 8-10" group.			
		maintain an MRL of 1.4 PPM for its "Vegetable, fruiting, group 8-10" group.			
		<b>US 35</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 36</b>
<b>Tomato</b>	<b>Chlorfenapyr</b>	1	---	1	1 US
		MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
					5

Tomato	Chlorothalonil	5	5	5	US
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 37</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 38</b>
Tomato	Clethodim	1	---	1	1 US
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 39</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 40</b>
Tomato	Clothianidin	0.2	---	3	0.2 US
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Cryolite	7	---	---	7 US
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 41</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 42</b>
Tomato	Cyazofamid	0.4	{0.2}	2	0.4 US
MRL of 0.4 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.4 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Cyfluthrin	0.2	---	2	0.2 US
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 43</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 44</b>
Tomato	Cymoxanil	0.2	---	2	0.2 US
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Cyprodinil	0.45	---	0.5	0.45 US
MRL of 0.45 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 0.45 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Cyromazine	0.5	1	1	0.5 US
MRL of 0.5 PPM for its "Vegetable, Fruiting, Group 8" group.					

		<b>US 45</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 46</b>
Tomato	d-Phenothrin	0.01	---	0.02	0.01 US
		MRL of 0.01 PPM for its "Fruiting Vegetables" group.			
		MRL of 0.01 PPM for its "Fruiting Vegetables" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	DCPA	1	1	2	1 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Deltamethrin	0.2	0.3	0.5	0.2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Diazinon	0.75	0.75	{0.1}	0.75 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Dichlorvos	0.05	0.25	0.1	0.05 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Dicloran	5	5	10	5 US
		<b>US 47</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 48</b>
Tomato	Dicofol	2	3	{1}	2 US
		of 2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		of 2 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 49</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 50</b>
Tomato	Difenoconazole	0.6	0.6	{0.5}	0.6 US
		an MRL of 0.6 PPM for its "Vegetable, Fruiting, Group 8" group.			
		an MRL of 0.6 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Dimethoate	2	{0.5}	{1}	2 US

		<b>US 51</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 52</b>
Tomato	Dimethomorph	1.5	---	3	1.5 US
		an MRL of 1.5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		an MRL of 1.5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 53</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 54</b>
Tomato	Dinotefuran	0.7	---	2	0.7 US
		MRL of 0.7 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.7 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 55</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 56</b>
Tomato	Emamectin	0.02	---	0.1	0.02 US
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Endosulfan	1 Regional	1	{0.5}	1 Regional US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	EPTC	0.08	---	0.1	0.08 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Esfenvalerate	0.5	---	1	0.5 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Ethephon	2	2	2	2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Etoxazole	0.2	---	---	0.2 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
					0.15

Tomato	Etridiazole	0.15	---	{0.1}	US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Famoxadone	1	1	2	1 US
		<b>US 57</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 58</b>
Tomato	Fenamidone	1	1	1	1 US
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 59</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 60</b>
Tomato	Fenhexamid	2	{1}	2	2 US
MRL of 2 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 61</b>	<b>Can 62</b>	<b>Jpn</b>	<b>Mex 63</b>
Tomato	Fenpropathrin	1	1	2	1 US
an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
MRL of 1 PPM for its "Fruiting Vegetables Group 8-09" group.					
an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 64</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 65</b>
Tomato	Fenpyroximate	0.2	---	0.5	0.2 US
an MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
an MRL of 0.2 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 66</b>	<b>Can 67</b>	<b>Jpn</b>	<b>Mex 68</b>
Tomato	Flonicamid	0.4	0.4	2	0.4 US
MRL of 0.4 PPM for its "Vegetable, Fruiting, Group 8" group.					
0.4 PPM for its "Fruiting Vegetables Group 8-09" group.					
MRL of 0.4 PPM for its "Vegetable, Fruiting, Group 8" group.					
		<b>US 69</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 70</b>
Tomato	Flubendiamide	0.6	---	1	0.6 US
an MRL of 0.6 PPM for its "Vegetable, Fruiting, Group 8" group.					

		an MRL of 0.6 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Fludioxonil	0.5	{0.01}	2	0.5 US
		<b>US 71</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 72</b>
Tomato	Flumioxazin	0.02	---	---	0.02 US
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 73</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 74</b>
Tomato	Fluopicolide	1.6	---	---	1.6 US
		MRL of 1.6 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 1.6 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 75</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 76</b>
Tomato	Fluoxastrobin	1	---	---	1 US
		an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		an MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Fomesafen	0.025	---	---	0.025 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Fosetyl-AI	3	3	100	3 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Fosthiazate	0.02	---	0.2	0.02 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Gamma Cyhalothrin	0.1	---	0.5	0.1 US
		<b>US 77</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 78</b>
					0.1

Tomato	Glyphosate	0.1	---	0.2	US
		MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 79</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 80</b>
Tomato	Halosulfuron-methyl	0.05	---	0.05	0.05 US
		maintain an MRL of 0.05 PPM for its "Vegetable, Fruiting, Group 8" group.			
		maintain an MRL of 0.05 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Hexythiazox	0.5	---	{0.1}	0.5 US
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	Imazosulfuron	0.02	---	---	0.02 US
		<b>US 81</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 82</b>
Tomato	Imidacloprid	1	1	2	1 US
		MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 1 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US 83</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 84</b>
Tomato	Indoxacarb	0.5	---	0.5	0.5 US
		MRL of 0.5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.5 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
Tomato	resulting from fumigation with	20	---	75	20 US
		<b>US 85</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex 86</b>
Tomato	Lactofen	0.02 Regional	---	---	0.02 Regional US
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		MRL of 0.02 PPM for its "Vegetable, Fruiting, Group 8" group.			
		<b>US</b>	<b>Can</b>	<b>Jpn</b>	<b>Mex</b>
					0.1

Tomato	Lambda Cyhalothrin	0.1	0.2	0.5	US
		US	Can	Jpn	Mex
Tomato	Malathion	8	{3}	{0.5}	8 US